Addendum - 10

Sr. No.	Page No.	Clause No.	Original Clause	To be Replaced by
1	316	Volume-II, Section-3.8 Technical Specifications : SA Access Switch (POE+), Sr. No. 24	The Switch should be EAL3/ NDPP / UL certified	The Switch should be EAL3/ NDPP / UL certified or relevant TEC certified
2	305	Volume-II, Section-3.8 Technical Specifications : Server Room WAN Switch, Sr. No. 24	The Switch should be EAL3/ NDPP / UL certified	The Switch should be EAL3/ NDPP / UL certified or relevant TEC certified
3	319	Volume-II, Section-3.8 Technical Specifications: Network Access Control & Authentication System, Sr. No. 25	Solution should have profiling capabilities integrated into the solution in order to detect headless host. The profiling features leverage the existing infrastructure for device discovery. Should support the use of attributes from the following sources or sensors: * Profiling using MAC OUIS * Profiling using DHCP information * Profiling using RADIUS information * Profiling using HTTP information * Profiling using DNS information / Nessus * Profiling using NetFlow information / Onguard Agent * Profiling using SPAN/Mirrored traffic	Solution should have profiling capabilities integrated into the solution in order to detect headless host. The profiling features leverage the existing infrastructure for device discovery. Should support the use of attributes from the following sources or sensors: * Profiling using MAC OUIS * Profiling using DHCP information * Profiling using RADIUS/TACACS+ information * Profiling using HTTP information * Profiling using DNS information / Nessus * Profiling using NetFlow/Jflow/SFlow information / Onguard Agent * Profiling using SPAN/Mirrored traffic

Sr. No.	Page No.	Clause No.	Original Clause	To be Replaced by
4	325	Volume-II, Section-3.8 Technical Specifications : End Point Security Solution (Enterprise), Sr. No. 5	The proposed solution shall utilize layered and defense in depth approach, wherein the solution cannot be of the same make as endpoint AV	The proposed solution shall utilize layered and defense in depth approach, wherein the solution can be of the same / different make as endpoint AV
5	326	Volume-II, Section-3.8 Technical Specifications : End Point Security Solution (Enterprise), Sr. No. 27	Solution must support Adding Process Exclusion type to support System Process Protection in AMP for Endpoints Windows Connectors.	The said specification stands deleted
6	326	Volume-II, Section-3.8 Technical Specifications : End Point Security Solution (Enterprise), Sr. No. 28	Solution must support Adding Policy settings to enable Exploit Prevention and System Process Protection in AMP for Endpoints Windows Connectors.	The said specification stands deleted
7	326	Volume-II, Section-3.8 Technical Specifications : End Point Security Solution (Enterprise), Sr. No. 19	The solution shall be capable of working in Windows, Mac & Linux operating systems	The solution shall be capable of working in Windows, Mac & Linux/Unix operating systems
8	295	Volume-II, Section-3.8 Technical Specifications : Unarmoured Fiber Optic Cable, Sr. No. 24 (Addendum-9)	Mode Field Diameter: As per ITU-G.657 Standard	Mode Field Diameter: As per ITU-T- G652D Standard
9	253	Volume-II, Section-3.3.5 CIOC - Collaboration Solution for Helpdesk, Functional Requirements, CM-CMS-1.53	The MCU should be running on standard intel servers on standard Virtualized platforms. The hardware, software and virtualization software should be supplied and supported by a single MSI.	The MCU should be running on standard intel servers on standard Virtualized platforms or OEM provided appliance with full functionality asked in RFP. The hardware, software and virtualization software should be supplied and supported by a single MSI.

Sr. No.	Page No.	Clause No.	Original Clause	To be Replaced by
10	254	Volume-II, Section-3.3.5 CIOC - Collaboration Solution for Helpdesk, Functional Requirements, CM-CMS-1.73	Should support H.263, H.263+, H.263++, H.264, H.264 SVC/H.264 High Profile video algorithms	Should support H.263/H.263+/H.263++ , H.264, H.264 SVC/H.264 High Profile video algorithms
11	256	Volume-II, Section-3.3.5 CIOC - Collaboration Solution for Helpdesk, Functional Requirements, CM-CMS- 1.107	1 x LAN /Ethernet10/100/1000 to connect a PC (i.e. built in switch)	1 x LAN /Ethernet10/100/1000
12	256	Volume-II, Section-3.3.5 CIOC - Collaboration Solution for Helpdesk, Functional Requirements, CM-CMS- 1.120	The unit must support the option of disabling the secondary network port if not in use.	The said functionality stands deleted
13	252	Volume-II, Section-3.3.5 CIOC - Collaboration Solution for Helpdesk, Functional Requirements, CM-CMS-1.33	H.323 interface to selected devices	H.323/SIP interface to selected devices
14	252	Volume-II, Section-3.3.5 CIOC - Collaboration Solution for Helpdesk, Functional Requirements, CM-CMS-1.35	Interface to H.323 gatekeeper for scalability, CAC, and redundancy	Interface to H.323/SIP gatekeeper for scalability, CAC, and redundancy
15	327	Volume-II, Section-3.8 Technical Specifications : Antivirus Specifications, Sr. No. 30	The solution should provide an Integrated firewall which should use reputation scores based on vendor's global threat intelligence to protect endpoints from botnets, DDoS, APTs, and suspicious web connections.	The said functionality stands deleted

Sr. No.	Page No.	Clause No.	Original Clause	To be Replaced by
16	328	Volume-II, Section-3.8 Technical Specifications : Antivirus Specifications, Application Control, Sr. No. 4	The solution should provide the user to self- approve any new application / software with business justification. So that new application can be run successfully with notification to administrator.	The said functionality stands deleted
17	328	Volume-II, Section-3.8 Technical Specifications : Antivirus Specifications, Application Control, Sr. No. 5	Solution should allow administrator to approve or revoke self-approved application status so that new application can be allowed to run or ban.	The said functionality stands deleted
18	129	Volume-II, Section-3.1.6.1 Hosting on GSDC Cloud at Gandhinagar	DC-DR architecture for DSIR ICT project	Disaster Recovery (DR) site is not in scope of ICT MSI.
19	318	Volume-II, Section-3.8 Technical Specifications : Network Access Control & Authentication System, Sr. No. 5	Should support enforcing security policies by blocking, isolating, and repairing noncompliant machines in a quarantine area without requiring administrator attention	Should support enforcing security policies by blocking, isolating, noncompliant machines in a quarantine area without requiring administrator attention
20	318	Volume-II, Section-3.8 Technical Specifications : Network Access Control & Authentication System, Sr. No. 9	Should provide a wide range of access control mechanisms, including downloadable access control lists (dACLs), VLAN assignments, URL redirect	Should provide a wide range of access control mechanisms like access control list, VLAN assignments, URL redirect
21	318	Volume-II, Section-3.8 Technical Specifications : Network Access Control & Authentication System, Sr. No. 17	Proposed solution should support TACACS+ or RADIUS to simplify device administration and enhance security through flexible, granular control of access to network devices	Proposed solution should support TACACS+ or RADIUS to simplify device administration and enhance security with flexibility.

Sr. No.	Page No.	Clause No.	Original Clause	To be Replaced by
22	319	Volume-II, Section-3.8 Technical Specifications: Network Access Control & Authentication System, Sr. No. 22	Proposed solution should be able to create TACACS+ or RADIUS authorization policy for device administrator containing specific lists of commands a device admin can execute. Command sets should support; exact match, case sensitive, (any character), * (matches any), etc. and support stacking as well	Proposed solution should be able to create TACACS+ or RADIUS authorization policy for device administrator containing specific lists of commands a device admin can execute.
23	319	Volume-II, Section-3.8 Technical Specifications : Network Access Control & Authentication System, Sr. No. 23	Proposed solution must support TACACS+ or RADIUS in IPv6 network	Proposed solution must support IPv6 network including TACACS+ or RADIUS
24	319	Volume-II, Section-3.8 Technical Specifications: Network Access Control & Authentication System, Sr. No. 24	Should support Identity source sequences, which defines the order in which the solution will look for user credentials in the different databases. Solution should support the following databases: •Internal Users, Internal Endpoints, Active Directory, LDAP, RSA, RADIUS Token Servers, Certificate Authentication Profiles	Should support Identity source sequences, which defines the order in which the solution will look for user credentials in all kind of different databases.
25	22	Volume-I, Section-2.2.2, 12	Additional Clause	The Bidders shall understand and update themselves latest guidelines by Govt. of India and Govt of Gujarat including respective telecom & other ministries in respect of "Make in India" policy as notified prior to notification of the RFQ cum RFP and take the same into account while making Bid and shall furnish declaration & Self Certificate regarding Domestic Value Addition in quoted items on INR 300/- Stamp Paper as per Format attached herewith this addendum.

Sr. No.	Page No.	Clause No.	Original Clause	To be Replaced by
26	11	Volume-I, Section-1.5.13.8	Additional Clause	DICDL Bank Details for preparation of EMD/Bid Security: Name of Client: DHOLERA INDUSTRIAL CITY DEVELOPMENT LIMITED Beneficiary Bank Name: HDFC Bank HDFC Bank Account Number: 50200039665755 IFSC of Beneficiary's Bank: HDFC0000190 Branch Full Address with Pin code of Beneficiary's Bank: HDFC BANK, PLOT NO. 448, SECTOR 16, NEXT TO PRAGNA PETROL PUMP, GANDHINAGAR – 382016, Gujarat. GST Number: 24AAFCD5844D1ZW PAN Number: AAFCD5844D
27		Volume-I, Section-1.5.13.9 Earnest Money Deposit/ Bid Security & Section- 1.5.15.2 Bid Document Processing Fee	Additional Clause	Bidders can also transfer Bid document processing fee and/or Earnest Money Deposit/Bid Security and online through RTGS/NEFT in the above account provided in this addendum. However, Bidders who are opting for this option must furnish copy of transaction details on email: dbrahmbhatt@dicdl.in and must reach along with physical bid submission of the Bid. To enable Employer to Bidders may note that The Employer shall, on receipt of such transfer details, verify credit in Bank account and risk of non-receipt or no confirmation from bank shall rest with the bidder and in such even the Bid shall not be considered for opening.

Sr. No.	Page No.	Clause No.	Original Clause	To be Replaced by
28	51	Volume-I, Appendix-7 Format for Power of Attorney for Partner In-charge of Joint Venture / Consortium	We, [name of Party] having our registered office at [registered address], M/s. [name of Party], having our registered office at [registered address], and M/s.[name of Party], having our registered office at [registered address], (hereinafter collectively referred to as the "Principals") do hereby irrevocably designate, nominate, constitute, appoint and authorize M/s [name of Partner In-charge], having its registered office at [registered address], being one of the Partners of the Consortium, as the Partners In-charge and true and lawful attorney of the Consortium (hereinafter referred to as the "Attorney") and hereby irrevocably authorize the Attorney (with power to sub-delegate to any person) to conduct all business for and on behalf of the Consortium and any one of us during the bidding process and, in the event the Consortium is awarded the Contract, during the performance of the services related to the Project, and in this regard, to do on our behalf and on behalf of the Consortium, all or any of such acts, deeds or things as are necessary or required or incidental to the submission of its bid for the Project, including but not limited to signing and submission of all applications, bids and other documents and writings, accept the Letter of	Clarification: The option "to sub-delegate powers to any person, to do in our name" is an additional feature. The Bidders desiring deletion of marked content can do so and will be acceptable to Employer.

Sr. No.	Page No.	Clause No.	Original Clause	To be Replaced by
			Acceptance, participate in bidders' and other	
			conferences, respond to queries, submit	
			information/documents, sign and execute	
			contracts and undertakings consequent to	
			acceptance of the bid of the Consortium and	
			generally to represent the Consortium in all its	
			dealings with the Employer, and/ or any other	
			government agency or any person, in all matters	
			in connection with or relating to or arising out of	
			the Consortium's bid for the Assignment and/ or	
			upon award thereof until the Contract is entered	
			into with the Employer.	

Format for Declaration & Self Certificate regarding Domestic Value Addition in quoted items on INR 300/- Stamp Paper.

			Date://
I	S/o, D/o, W/o	resident of	do hereby solemnly affirm
and declare as under.			

That I will agree to abide by the terms and conditions of the policy of the Government of India, Ministry of communications, Department of Telecommunications issued vide notification no. 18-10/2017-IP dated 29/08/2018 and any other relevant notifications by GOI in respect of Make in India Policy.

That the information furnished hereinafter correct to best of my knowledge and belief and I undertake to produce relevant records before the procuring agency or any authority so nominated by the Ministry of Electronics and Information Technology, Government of India for the purpose of assessing domestic value addition.

That the domestic value addition for all inputs which constitute the quoted item(s) has been verified by me and I am responsible for the correctness of the claims made therein.

That in event of the domestic value addition of the quoted product is found to be incorrect and not meeting the prescribed domestic value addition norms, based on assessment of an authority so nominated by the Department of Telecommunications, Government of India for the purpose of assessing domestic value addition. I will be disqualified from any Government Tender for period of 36 months. In addition, I will bear all costs of such an assessment.

That I have complied with all the conditions referred to in the notification no. 18-10/2017-IP dated 29/08/2018, wherein preference to domestically manufactured electronic products in Government procurement is provided and that the procuring agency is hereby authorized to forfeit and adjust my EMD and other security amount toward such assessment cost and I undertake the balance, if any, forthwith.

I agree to maintain the following information in the Company's record for a period of 8 years and shall make this available to any statutory authorities.

- 1. Name and details of domestic manufacture (Registered office, Manufacturing unit location, nature of legal entity)
- 2. Date on which this certificate issued
- 3. Electronic Product for which the certificate is produced
- 4. Procuring agency to whom the certificate is furnished
- 5. Percentage of domestic value addition claimed

- 6. Name and contact details of the unit of the manufacturer
- 7. Sale price of the product
- 8. Ex-factory price of the product
- 9. Freight, insurance and handling
- 10. Total Bill of Material
- 11. List and total cost value of inputs used for manufacture of the domestic product
- 12. List and total cost value of inputs which are domestically sourced. Please attach the certificate from supplier, if the input is not in-house
- 13. List and total cost value of inputs imported, directly or indirectly.

For and on behalf of	(Name of firm/entity)
	•

Authorized Signatory (To be duly authorized by Board of Directors) < Insert Name, Designation and Contact No.>